
ERP DIRECTIVE PRODUCT DATA SABIK 500

envirovent.





E	ErP Product datasheet in accordance	with EU1253/2014	and EU1254/2014	
Supplier:		EnviroVent		
Model:		Sabik 500		
Climate Zone		Average	Warm	Cold
Specific energy consumption (SEC) [kWh/(m².a)]		-38.27	-14.04	-75.98
Specific energy consumption (SEC) Class		А	E	A+
Annual electricity consumption (AEC) [kWh electricity/a]		2.98	2.53	8.35
Annual heating saved (AHS) [kWh primary energy/a]		45.05	22.16	95.87
Declared Typology	Intended Use	Residential (RVU)		
	Product Type	Bi-directional (BVU)		
	Unit Type	Ducted		
Type of drive		Variable speed (VSD)		
Type of heat recovery		Recuperative heat exchanger		
Thermal efficiency of heat recovery [%]		85.4		
Maximum flow rate	[l/s]	150.00		
	[m³/h]	540.00		
	[m³/s]	0.1500		
Electric power input [W] at Maximum flow rate		265		
Sound power level Lwa		53.00		
Reference flow rate	[l/s]	105.00		
	[m³/h]	378.00		
	[m³/s]	0.1050		
Reference pressure difference [Pa]		50		
Specific Power Input (SPI) [W/(m³/h)]		0.2800		
Leakage [%]	Internal	0.5		
	External	0.5		
Controls	Control Typology	Central demand control		
	Control Factor	0.85		
Mixing rate		N/A		
Airflow sensitivity		N/A		
Indoor/outdoor air tightness		N/A		
Filter warning		Remote control pilot light		
Internet address for disassembly instructions		www.envirovent.com		
Instructions on installation of supply/exhaust grilles in the façade for natural air supply/extraction		N/A		